



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>376769/5 373028/29</b>
---------------------------	---------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Artichoke
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>376769/16 373028/29</b>
---------------------------	----------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Burnt Sienna
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>376769/5 373028/27</b>
---------------------------	---------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Butterscotch
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

**[GB]** The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>373028/24 376769/16</b>
---------------------------	----------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Canteloupe
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>376769/5 374070/8</b>
---------------------------	--------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Gamma Green
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>376769/5 376769/16</b>
---------------------------	---------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Golden Yellow
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>376769/5 373028/24 374070/4</b>
---------------------------	------------------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Hazelnut
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>376769/5 374070/8</b>
---------------------------	--------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Leafy Green
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345





CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>373028/13 376769/5</b>
---------------------------	---------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Melon Red
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

**[GB]** The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>376769/16 374070/16 373028/24</b>
---------------------------	--------------------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Mandarin Orange
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
Middlemore Lane West  
WS9 8BG Aldridge, Walsall  
UNITED KINGDOM

CTL<sup>®</sup>-No **376769/5 373028/27 373028/29**

[Order date] 04.01.2017  
[Arrival date CTL] 04.01.2017  
[Date] 23.02.2017

tattoolab.eu


## Certificate

[Article/Article No] Tattoo Colour  
[Brand] Fusion Ink  
[Colour] Moss Green  
[Test] PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
.....  
Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
[fax] +49 521 446 51 52  
[mail] sekretariat@ctl-mails.de  
[Homepages] ctl-bielefeld.de  
tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>376769/16 373028/29</b>
---------------------------	----------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Raw Sienna
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

<b>Part 4</b> Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		<b>EPA, ZEK 2008-01</b>	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

**[GB]** The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

CTL <sup>®</sup> -No	373028/13 373028/24 376769/5
----------------------	------------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Tangelo
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

CTL <sup>®</sup> -No	<b>376769/5 376769/16 373028/27</b> <b>373028/29</b>
----------------------	---

[Order date] 04.01.2017

[Arrival date CTL] 04.01.2017

[Date] 23.02.2017

tattoolab.eu

## Certificate

[Article/Article No] Tattoo Colour  
 [Brand] Fusion Ink  
 [Colour] Yellow Ochre  
 [Test] PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

CTL <sup>®</sup> -No	<b>373028/24 373028/13 376769/5</b>
----------------------	-------------------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Pastel Pink
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>373028/24 376769/5</b>
---------------------------	---------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu

**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Lemon Drop
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

.....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

**[GB]** The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345





CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

CTL <sup>®</sup> -No	<b>373028/21 373028/29 376769/5</b>
----------------------	-------------------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Red Velvet
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
0.09	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
0.05	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: 0.14 ppm**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

CTL <sup>®</sup> -No	<b>373028/24 376769/5 373028/27 373028/29</b>
----------------------	---

[Order date] 04.01.2017

[Arrival date CTL] 04.01.2017

[Date] 23.02.2017

tattoolab.eu

## Certificate

[Article/Article No] Tattoo Colour  
 [Brand] Fusion Ink  
 [Colour] Wet Sand  
 [Test] PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>373028/24 376769/5 374070/4</b>
---------------------------	------------------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Bone
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>373028/24 376769/16 373028/27</b>
---------------------------	--------------------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Blush
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

CTL <sup>®</sup> -No	<b>373028/24 374070/16 376769/16</b> <b>373028/27 373028/29</b>
----------------------	--

[Order date] 04.01.2017  
 [Arrival date CTL] 04.01.2017  
 [Date] 23.02.2017

tattoolab.eu

**Certificate**

[Article/Article No] Tattoo Colour  
 [Brand] Fusion Ink  
 [Colour] Liquid Flesh  
 [Test] PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

.....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>376769/16 374070/4</b>
---------------------------	---------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Shipwreck
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

CTL <sup>®</sup> -No	<b>373028/24 376769/5 374070/8</b> <b>372563/1 373028/13</b>
----------------------	---

[Order date] 04.01.2017  
 [Arrival date CTL] 04.01.2017  
 [Date] 23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No] Tattoo Colour  
 [Brand] Fusion Ink  
 [Colour] Stingray  
 [Test] PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>376769/5 373028/29</b>
---------------------------	---------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Algae
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345





CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>372563/1 374070/8 373028/24</b>
---------------------------	------------------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Deep Caribbean
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

CTL <sup>®</sup> -No	<b>376769/5 373028/24 373028/21 374070/8</b>
----------------------	--

[Order date] 04.01.2017

[Arrival date CTL] 04.01.2017

[Date] 23.02.2017

tattoolab.eu


## Certificate

[Article/Article No] Tattoo Colour  
 [Brand] Fusion Ink  
 [Colour] Snail  
 [Test] PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
0.09	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
0.05	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: 0.14 ppm**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>376769/5 373028/13 373028/24</b>
---------------------------	-------------------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Fire Opal
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>373028/21 373028/13 373028/24</b>
---------------------------	--------------------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Nebula Red
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
0.09	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
0.05	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: 0.14 ppm**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

CTL <sup>®</sup> -No	<b>373028/24 373028/21 376769/16</b> <b>374070/4</b>
----------------------	---

[Order date] 04.01.2017

[Arrival date CTL] 04.01.2017

[Date] 23.02.2017

tattoolab.eu


## Certificate

[Article/Article No] Tattoo Colour  
 [Brand] Fusion Ink  
 [Colour] Proton Pink  
 [Test] PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
0.09	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
0.05	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: 0.14 ppm**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>376769/5 373028/13</b>
---------------------------	---------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Solar Flare
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

**[GB]** The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>376769/5 374070/8</b>
---------------------------	--------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Android Green
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>376769/5 373028/13</b>
---------------------------	---------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Super Red
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345





CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>374070/8 373028/13 376769/5</b>
---------------------------	------------------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Forest Green
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

CTL <sup>®</sup> -No	<b>374070/8 373028/27 376769/5</b>
----------------------	------------------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	GI Green
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>376769/5 376769/16</b>
---------------------------	---------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Ole Yellow
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

<b>Part 4</b> Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		<b>EPA, ZEK 2008-01</b>	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

**[GB]** The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>373028/24 376769/5 373028/29</b>
---------------------------	-------------------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Organic Green
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

CTL <sup>®</sup> -No	<b>373028/24 376769/16 376769/5</b> <b>373028/29</b>
----------------------	---

[Order date] 04.01.2017  
 [Arrival date CTL] 04.01.2017  
 [Date] 23.02.2017

tattoolab.eu

**Certificate**

[Article/Article No] Tattoo Colour  
 [Brand] Fusion Ink  
 [Colour] Autumn Orange  
 [Test] PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

.....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>376769/5 373028/13</b>
---------------------------	---------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Blood Orange
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>376769/5 373028/29 374070/6</b>
---------------------------	------------------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Dark Olive
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

**[GB]** The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

CTL <sup>®</sup> -No	376769/5 373028/24 374070/8
----------------------	-----------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Neon Yellow
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345





CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

CTL <sup>®</sup> -No	<b>373028/24 373028/13 376769/5</b> <b>373028/29 374070/4</b>
----------------------	--

[Order date] 04.01.2017  
 [Arrival date CTL] 04.01.2017  
 [Date] 23.02.2017

tattoolab.eu

**Certificate**

[Article/Article No] Tattoo Colour  
 [Brand] Fusion Ink  
 [Colour] Paprika  
 [Test] PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

.....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

CTL <sup>®</sup> -No	<b>376769/5 373028/29 376769/16</b> <b>373028/24</b>
----------------------	---

[Order date] 04.01.2017

[Arrival date CTL] 04.01.2017

[Date] 23.02.2017

tattoolab.eu


## Certificate

[Article/Article No] Tattoo Colour  
 [Brand] Fusion Ink  
 [Colour] Pumpkin Spice  
 [Test] PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>373028/24 376769/16 374070/4 376769/5</b>
---------------------------	--

[Order date] 04.01.2017

[Arrival date CTL] 04.01.2017

[Date] 23.02.2017

tattoolab.eu


## Certificate

[Article/Article No] Tattoo Colour  
 [Brand] Fusion Ink  
 [Colour] Flesh Tone Extra Light  
 [Test] PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

CTL <sup>®</sup> -No	<b>373028/24 376769/16 374070/4 376769/5</b>
----------------------	--

[Order date] 04.01.2017

[Arrival date CTL] 04.01.2017

[Date] 23.02.2017

tattoolab.eu


## Certificate

[Article/Article No] Tattoo Colour  
 [Brand] Fusion Ink  
 [Colour] Flesh Tone Light  
 [Test] PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

CTL <sup>®</sup> -No	<b>373028/24 376769/16 374070/4 376769/5</b>
----------------------	--

[Order date] 04.01.2017

[Arrival date CTL] 04.01.2017

[Date] 23.02.2017

tattoolab.eu


## Certificate

[Article/Article No] Tattoo Colour  
 [Brand] Fusion Ink  
 [Colour] Flesh Tone Medium  
 [Test] PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

CTL <sup>®</sup> -No	<b>373028/24 376769/16 374070/4 376769/5</b>
----------------------	--

[Order date] 04.01.2017

[Arrival date CTL] 04.01.2017

[Date] 23.02.2017

tattoolab.eu


## Certificate

[Article/Article No] Tattoo Colour  
 [Brand] Fusion Ink  
 [Colour] Flesh Tone Dark  
 [Test] PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>376769/16 374070/4 376769/5</b>
---------------------------	------------------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Flesh Tone Extra Dark
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>372563/1 376769/16 373028/24</b>
---------------------------	-------------------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu

**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Muted Blue
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

.....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345





CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>376769/16 372563/1 373028/24</b>
---------------------------	-------------------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu

**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Muted Green
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

.....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>376769/5 374070/4 373028/24</b>
---------------------------	------------------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Muted Purple
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>376769/5 374070/4 373028/24</b>
---------------------------	------------------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Muted Yellow
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

CTL <sup>®</sup> -No	373028/24 376769/5 374070/4
	<b>373028/29</b>

[Order date] 04.01.2017  
 [Arrival date CTL] 04.01.2017  
 [Date] 23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No] Tattoo Colour  
 [Brand] Fusion Ink  
 [Colour] Sahara Tan  
 [Test] PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>373028/24 374070/6 376769/16</b>
---------------------------	-------------------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No] Tattoo Colour  
 [Brand] Fusion Ink  
 [Colour] Salmon  
 [Test] PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

CTL <sup>®</sup> -No	<b>374070/8 373028/24 376769/5</b>
	<b>376769/16</b>

[Order date] 04.01.2017

[Arrival date CTL] 04.01.2017

[Date] 23.02.2017

tattoolab.eu


## Certificate

[Article/Article No] Tattoo Colour  
 [Brand] Fusion Ink  
 [Colour] Shamrock  
 [Test] PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

CTL <sup>®</sup> -No	<b>373028/24 376769/16 374070/16</b> <b>373028/29</b>
----------------------	--

[Order date] 04.01.2017  
 [Arrival date CTL] 04.01.2017  
 [Date] 23.02.2017

tattoolab.eu

**Certificate**

[Article/Article No] Tattoo Colour  
 [Brand] Fusion Ink  
 [Colour] Tejas Tan  
 [Test] PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

.....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>376769/5 376769/16 373028/29</b>
---------------------------	-------------------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No] Tattoo Colour  
 [Brand] Fusion Ink  
 [Colour] Yellow Jacket  
 [Test] PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345





CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

CTL <sup>®</sup> -No	373028/24 376769/16 374070/8 373028/29
----------------------	---

[Order date] 04.01.2017

[Arrival date CTL] 04.01.2017

[Date] 23.02.2017

tattoolab.eu

## Certificate

[Article/Article No] Tattoo Colour  
 [Brand] Fusion Ink  
 [Colour] Coral Reef  
 [Test] PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>373028/24 373028/27</b>
---------------------------	----------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Dark Flesh
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

CTL <sup>®</sup> -No	<b>376769/5 373028/24 372563/1</b> <b>373028/21</b>
----------------------	--

[Order date] 04.01.2017

[Arrival date CTL] 04.01.2017

[Date] 23.02.2017

tattoolab.eu


## Certificate

[Article/Article No] Tattoo Colour  
 [Brand] Fusion Ink  
 [Colour] Spring Green  
 [Test] PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
0.09	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
0.05	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: 0.14 ppm**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

CTL <sup>®</sup> -No	373028/24 374070/8 374070/16
----------------------	------------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	Phthalo Green
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.  
 Middlemore Lane West  
 WS9 8BG Aldridge, Walsall  
 UNITED KINGDOM

<b>CTL<sup>®</sup>-No</b>	<b>373028/24 374070/4</b>
---------------------------	---------------------------

[Order date]	04.01.2017
[Arrival date CTL]	04.01.2017
[Date]	23.02.2017

tattoolab.eu


**Certificate**

[Article/Article No]	Tattoo Colour
[Brand]	Fusion Ink
[Colour]	True Purple
[Test]	PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

**Result as total: all below detection limit**

BIELEFELD, 23. FEBRUARY 2017

  
 .....  
 Dr. rer. nat. G. Prior

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12  
 33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] sekretariat@ctl-mails.de  
 [Homepages] ctl-bielefeld.de  
 tattoolab.eu

[Bank] Sparkasse Gütersloh  
 Konrad-Adenauer-Platz 1  
 33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345